

# Jaw Crusher

ジョークラッシャー





株式会社藤崎興産



# 株式会社 藤崎興産

## 仕 様

	FSK-J80	FSK-J95	FSK-J100	FSK-J105	FSK-J110	FSK-J3054	FSK-J125	FSK-J140	FSK-J145	FSK-J150	FSK-J160	FSK-J200
給鉱口幅寸法 mm	800	930	1000	1060	1100	1375	1250	1400	1400	1400	1600	2000
給鉱口長さ寸法 mm	510	580	760	700	850	760	950	1070	1100	1200	1200	1500
動力 kw	75	90	110	110	160	160	160	200	200	200	260	400
回転数 rpm	350	330	260	300	230	260	220	220	220	220	220	200
製品寸法	ton/hour											
出口セット	ton/hour											
mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm
0-30	20	.	.	.	.	.	.	.	.	.	.	.
0-35	25	.	.	.	.	.	.	.	.	.	.	.
0-45	30	.	.	.	.	.	.	.	.	.	.	.
0-60	40	65-85	.	.	.	.	.	.	.	.	.	.
0-75	50	80-95	.	.	.	.	.	.	.	.	.	.
0-90	60	95-125	70-90	.	.	.	.	.	.	.	.	.
0-105	70	115-150	80-105	150-210	90-115	190-250	240-310	.	.	.	.	.
0-120	80	130-170	95-125	170-225	105-135	210-275	270-350	.	.	.	.	.
0-135	90	150-195	105-140	190-245	115-155	235-305	295-385	.	.	.	.	.
0-150	100	165-215	115-155	215-280	130-170	255-330	325-425	290-380	.	.	.	.
0-185	125	200-255	145-190	265-345	165-215	310-405	390-510	350-455	385-500	400-520	340-470	.
0-225	150	230-335	175-230	315-410	200-255	370-480	460-600	410-535	455-590	470-610	400-555	520-675
0-260	175	290-380	225-270	370-480	230-335	425-550	530-690	470-610	520-675	540-700	400-555	595-775
0-300	200			420-545	290-380	480-625	600-780	530-690	590-765	610-795	495-685	675-880
0-340	225							590-770	655-850	825-1070	580-800	750-975
0-375	250							650-845	725-945	900-1170	640-880	825-1070
0-410	275									980-1275		900-1170
0-450	300											980-1275



〒104-0061

東京都中央区銀座7-17-18 ジュエル銀座2F

電話03-3542-0761 FAX03-3546-1408

e-mail fujisaki@fujisakikosan.com HP <http://www.fujisakikosan.com>

# 株式会社 藤崎興産



# 株式会社 藤崎興産

