

# Jaw Crusher



ジョークラッシャー



株式会社藤崎興産

## 仕 様

		FSK-J80	FSK-J100	FSK-J96	FSK-J106	FSK-J116	FSK-J138	FSK-J120	FSK-J125	FSK-J140	FSK-J150	FSK-J160	FSK-J200
給鉱口幅寸法 mm		800	1000	930	1060	1150	1375	1200	1250	1400	1400	1600	2000
給鉱口長さ寸法 mm		510	760	580	700	800	760	870	950	1070	1200	1200	1500
動力 kw		75	110	90	110	132	160	160	160	200	200	250	400
回転数 rpm		350	260	330	280	260	260	230	220	220	220	220	200
製品寸法	出口セット	ton/hour	ton/hour	ton/hour	ton/hour	ton/hour	ton/hour	ton/hour	ton/hour	ton/hour	ton/hour	ton/hour	ton/hour
	mm	mm											
0-60	40	55-75											
0-75	50	65-95											
0-90	60	80-110		105-135									
0-105	70	95-135	125-175	125-155	150-185	165-205	210-270	175-240					
0-120	80	110-150	145-200	140-180	165-215	180-235	240-300	195-270					
0-135	90	125-175	160-220	160-200	190-235	205-255	260-330	210-305					
0-150	100	140-190	180-250	175-225	205-265	225-285	285-365	235-325	245-335				
0-185	125	175-245	220-310	220-280	255-325	270-345	345-435	285-395	295-405	325-445	340-470		
0-225	150	210-290	265-365	265-335	305-385	320-405	405-515	340-475	345-475	380-530	400-555	430-610	
0-260	175	245-335	310-430	310-390	355-450	370-465	465-595	385-540	395-545	435-605	460-635	495-695	630-890
0-300	200		355-490		395-500	410-520	530-670		445-615	495-685	520-720	560-790	710-1000
0-340	225								495-685	550-760	580-800	625-880	785-1105
0-375	250								545-755	610-840	640-880	685-965	865-1215
0-410	275											745-1055	940-1320
0-450	300											815-1145	1015-1435



〒104-0061

東京都中央区銀座7-17-18 ジュエル銀座2F

電話03-3542-0761 FAX03-3546-1408

e-mail [fujisaki@fujisakikosan.com](mailto:fujisaki@fujisakikosan.com) HP <http://www.fujisakikosan.com>

# 株式会社 藤崎興産



# 株式会社 藤崎興産

